



Braccioli Fissi | Fix Armrests



396 CR



Angolazione 101° / Slant 101°



Sezione tubo tonda Ø 20 mm  
Round tube section Ø 20 mm

**COMPOSIZIONE KIT / KIT COMPOSITION:**  
Bracciolo fisso con piastra fissaggio top in nylon (PA6)  
Fixed armrest with fixing bracket nylon pad (PA6)


**Finiture disponibili / available options:**  
- 396 CR cromato / chromed  
- 396 NR verniciato nero / black painted  
- 396 GR verniciato grigio / grey painted

**Imballo / Packing:**  
20 pz per cartone / pcs in carton box  
Kg 17.6 - m³ 0.06

396 BIA



Angolazione 101° / Slant 101°



Sezione tubo tonda Ø 20 mm  
Round tube section Ø 20 mm

**COMPOSIZIONE KIT / KIT COMPOSITION:**  
Bracciolo tubolare cromato fisso con piastra fissaggio top in nylon (PA6) bianco  
Fixed chrome tubular armrest with fixing bracket nylon white pad (PA6)


Fixed chrome tubular armrest with fixing bracket nylon white pad (PA6)

**Imballo / Packing:**  
20 pz per cartone / pcs in carton box  
Kg 17.6 - m³ 0.06

695



Angolazione 91° / Slant 91°




**COMPOSIZIONE KIT / KIT COMPOSITION:**  
Bracciolo in plastica (PP) con piastra fissaggio  
Plastic (PP) armrest with fixing bracket

**Imballo / Packing:**  
22 pz per cartone / pcs in carton box  
Kg 11.7 - m³ 0.135

399



Angolazione 101° / Slant 101°




**COMPOSIZIONE KIT / KIT COMPOSITION:**  
Bracciolo triangolare in plastica (PP) con piastra fissaggio  
Triangular armrest in plastic (PP) with fixing bracket


Triangular armrest in plastic (PP) with fixing bracket

**Imballo / Packing:**  
230 pz per cartone / pcs in carton box  
Kg 160 - m³ 0.96

Basi in plastica | Plastic bases



402




Base piana in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 680/660 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fibreglass nylon (PA6+30%GF) with steel ring Ø 26.377/25.591 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
225 pz per pallet / pcs for pallet  
Kg 420 - m³ 2.3

402 BIA




Base piatta in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio colore bianco Ø 680/660 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fibreglass nylon (PA6+30%GF) with steel ring, white colour Ø 26.377/25.591 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
225 pz per pallet / pcs for pallet  
Kg 420 - m³ 2.3

425




Base piana in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 630/614 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fibreglass nylon (PA6+30%GF) with steel ring Ø 24.803/24.173 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
225 pz per pallet / pcs for pallet  
Kg 310 - m³ 2.3


425 BIA




Base piana in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio colore bianco Ø 630/614 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fibreglass nylon (PA6+30%GF) with steel ring, white colour Ø 24.803/24.173 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
225 pz per pallet / pcs for pallet  
Kg 310 - m³ 2.3



BASTPB71




Base “STARFISH” in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 710/690 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

“STARFISH” base in fibreglass nylon (PA6+30%GF) with steel ring Ø 27.953/27.16 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
📦 120 pz per pallet / pcs for pallet  
📊 Kg 245 - m³ 2.64

BASTPW71




Base “STARFISH” in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio, colore bianco Ø 710/690 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

“STARFISH” base in fibreglass nylon (PA6+30%GF) with steel ring, white colour Ø 27.953/27.16 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
📦 120 pz per pallet / pcs for pallet  
📊 Kg 245 - m³ 2.64

BASTPB68




Base “STARFISH” in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 680/660 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

“STARFISH” base in fibreglass nylon (PA6+30%GF) with steel ring Ø 26.771/25.984 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
📦 120 pz per pallet / pcs for pallet  
📊 Kg 225 - m³ 2.64

BASTPW68




Base “STARFISH” in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio, colore bianco Ø 680/660 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

“STARFISH” base in fibreglass nylon (PA6+30%GF) with steel ring, white colour Ø 26.771/25.984 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
📦 120 pz per pallet / pcs for pallet  
📊 Kg 225 - m³ 2.64

ACFLPB00




Piastra nera caricato fibra di vetro (PA6+30%FV) con anello in acciaio colore nero 155x200 mm

Flat black base in fibreglass nylon (PA6+30%GF) with steel ring, black colour 61.023x78.740 in

**Imballo / Packing:**  
📦 10 pz per cartone / pcs in carton box  
📊 Kg 4 - m³ 0.06

ACFLP01




Piastra nera in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio 141x141 mm

Flat black base in fibreglass nylon (PA6+30%GF) with steel ring 55.512x55.512 in

**Imballo / Packing:**  
📦 10 pz per cartone / pcs in carton box  
📊 Kg 3.4 - m³ 0.06

ACFLCB00




Meccanismo di rotazione semplice per Flamingo, cono Ø 28mm.

Simple rotation mechanism for Flamingo base, cone Ø 1.102 in.

**Imballo / Packing:**  
📦 40 pz per cartone / pcs in carton box  
📊 Kg 15 - m³ 0.016


ACFLPW00




Piastra bianca caricato fibra di vetro (PA6+30%FV) con anello in acciaio colore nero 155x200 mm

Flat white base in fibreglass nylon (PA6+30%GF) with steel ring, black colour 61.023x78.740 in

**Imballo / Packing:**  
📦 10 pz per cartone / pcs in carton box  
📊 Kg 4 - m³ 0.06



ACFLPW01




Piastra bianca in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio 141x141 mm

Flat white base in fibreglass nylon (PA6+30%GF) with steel ring 55.512x55.512 in

**Imballo / Packing:**  
10 pz per cartone / pcs in carton box  
Kg 3.4 - m³ 0.06

ACFLCB00




Meccanismo di rotazione semplice per Flamingo, cono Ø 28mm.

Simple rotation mechanism for Flamingo base, cone Ø 1.102 in.

**Imballo / Packing:**  
40 pz per cartone / pcs in carton box  
Kg 15 - m³ 0.016

BAORPB69



Base piramidale “ORANGE” in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 690/670 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fibreglass nylon (PA6+30%GF) with steel ring Ø 27.165/26.378 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

**Imballo / Packing:**  
195 pz per pallet / pcs for pallet  
Kg 400 - m³ 3.542