


402




Base piana in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 680/660 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fiberglass nylon (PA6+30%GF) with steel ring Ø 26.377/25.591 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

Imballo / Packing:

225 pz per pallet / pcs for pallet
Kg 420 - m³ 2.3

402 BIA




Base piatta in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio colore bianco Ø 680/660 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fiberglass nylon (PA6+30%GF) with steel ring, white colour Ø 26.377/25.591 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

Imballo / Packing:

225 pz per pallet / pcs for pallet
Kg 420 - m³ 2.3

425




Base piana in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 630/614 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fiberglass nylon (PA6+30%GF) with steel ring Ø 24.803/24.173 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

Imballo / Packing:

225 pz per pallet / pcs for pallet
Kg 310 - m³ 2.3

425 BIA



Base piana in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio colore bianco Ø 630/614 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

Flat base in fiberglass nylon (PA6+30%GF) with steel ring, white colour Ø 24.803/24.173 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

Imballo / Packing:


225 pz per pallet / pcs for pallet
Kg 310 - m³ 2.3



BASTPB71



Organic
design



Base "STARFISH" in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 710/690 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

"STARFISH" base in fibreglass nylon (PA6+30%GF) with steel ring Ø 27.953/27.16 in Gas hole Ø 1,97 in castors hole Ø 0,43 in


Imballo / Packing:

120 pz per pallet / pcs for pallet
Kg 245 - m³ 2.64

BASTPW71



Organic
design



Base "STARFISH" in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio, colore bianco Ø 710/690 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

"STARFISH" base in fibreglass nylon (PA6+30%GF) with steel ring, white colour Ø 27.953/27.16 in Gas hole Ø 1,97 in castors hole Ø 0,43 in


Imballo / Packing:

120 pz per pallet / pcs for pallet
Kg 245 - m³ 2.64

BASTPB68



Organic
design



Base "STARFISH" in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio Ø 680/660 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

"STARFISH" base in fibreglass nylon (PA6+30%GF) with steel ring Ø 26.771/25.984 in Gas hole Ø 1,97 in castors hole Ø 0,43 in


Imballo / Packing:

120 pz per pallet / pcs for pallet
Kg 225 - m³ 2.64

BASTPW68



Organic
design




Base "STARFISH" in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio, colore bianco Ø 680/660 mm Foro gas Ø 50 mm foro ruote Ø 11 mm

"STARFISH" base in fibreglass nylon (PA6+30%GF) with steel ring, white colour Ø 26.771/25.984 in Gas hole Ø 1,97 in castors hole Ø 0,43 in

Imballo / Packing:

120 pz per pallet / pcs for pallet
Kg 225 - m³ 2.64

BAFLPB01




Base a trespolo FLAMINGO 4 razze in plastica nera

FLAMINGO Trestle 4 legs base in black plastic

Imballo / Packing:

4 pz per cartone / pcs in carton box
Kg 9,8 - m³ 0.10

BAFLPW01




Base a trespolo FLAMINGO 4 razze in plastica bianca

FLAMINGO Trestle 4 legs base in white plastic

Imballo / Packing:

4 pz per cartone / pcs in carton box
Kg 9,8 - m³ 0.10

ACFLPB00




Piastra nera caricato fibra di vetro (PA6+30%FV) con anello in acciaio colore nero 155x200 mm

Flat black base in fiberglass nylon (PA6+30%GF) with steel ring, black colour
61.023x78.740 in

Imballo / Packing:

10 pz per cartone / pcs in carton box
Kg 4 - m³ 0.06

ACFLPW00



Piastra bianca caricato fibra di vetro (PA6+30%FV) con anello in acciaio colore nero 155x200 mm


Flat white base in fiberglass nylon (PA6+30%GF) with steel ring, black colour
61.023x78.740 in

Imballo / Packing:

10 pz per cartone / pcs in carton box
Kg 4 - m³ 0.06



ACFLPB01




Piastra nera in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio 141x141 mm

Flat black base in fibreglass nylon (PA6+30%GF) with steel ring 55.512x55.512 in

Imballo / Packing:

10 pz per cartone / pcs in carton box
Kg 3.4 - m³ 0.06

ACFLPW01




Piastra bianca in nylon caricato fibra di vetro (PA6+30%FV) con anello in acciaio 141x141 mm

Flat white base in fibreglass nylon (PA6+30%GF) with steel ring 55.512x55.512 in

Imballo / Packing:

10 pz per cartone / pcs in carton box
Kg 3.4 - m³ 0.06

BAFLFB01





Kit piedini neri per base Flamingo con viti M8 di fissaggio (4 pz)

Black feet kit for Flamingo base with M8 screws for fixing (4 pcs)

Imballo / Packing:

25 kit per cartone / kit per carton box
Kg 5,8 - m³ 0.10

BAFLFW01



Kit piedini neri per base Flamingo con viti M8 di fissaggio (4 pz)

Black feet kit for Flamingo base with M8 screws for fixing (4 pcs)

Imballo / Packing:

25 kit per cartone / kit per carton box
Kg 5,8 - m³ 0.10


BAFLCB01

Kit ruote per base Flamingo
con perno filettato M8 (4 pz)

Caster kit for Flamingo base
with threaded M8 pin (4 pcs)

Imballo / Packing:

25 kit per cartone / kit per carton box
Kg 14,5 - m³ 0,03




ACFLCB00

Meccanismo di rotazione semplice per
Flamingo, cono Ø 28mm.

Simple rotation mechanism for Flamingo
base, cone Ø 1.102 in.

Imballo / Packing:

20 pz per cartone / pcs in carton box
Kg 7,8 - m³ 0,011



BAORPB69

Base piramidale "ORANGE" in nylon
caricato fibra di vetro (PA6+30%FV) con
anello in acciaio Ø 690/670 mm Foro gas
Ø 50 mm
foro ruote Ø 11 mm

Flat base in fibreglass nylon (PA6+30%GF)
with steel ring Ø 27.165/26.378 in
Gas hole Ø 1,97 in castors hole Ø 0,43 in

Imballo / Packing:

195 pz per pallet / pcs for pallet
Kg 400 - m³ 3,542

